

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 309 205 A1

(12)

## EUROPEAN PATENT APPLICATION

(43) Date of publication:

07.05.2003 Bulletin 2003/19

(51) Int Cl.7: H04N 9/87

(21) Application number: 02024513.0

(22) Date of filing: 30.10.2002

(84) Designated Contracting States:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR  
IE IT LI LU MC NL PT SE SK TR

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: 30.10.2001 KR 2001067254

(71) Applicant: LG ELECTRONICS INC.

Seoul 150-010 (KR)

(72) Inventors:

• Kim, Tae Ho

Seoul, 140-120 (KR)

• Yoo, Jae Yong

Kangnam-gu, Seoul, 135-270 (KR)

• Alexandre, Limonov

Seocho-gu, Seoul, 137-784 (KR)

(74) Representative:

DIEHL GLAESER HILTL &amp; PARTNER


Patentanwälte

Augustenstrasse 46

80333 München (DE)

## (54) Method of reproducing an interactive disk through a network

(57) The present invention relates to an interactive disk reproducing method using a network. The present method downloads various content-related information and the latest contents associated with A/V data pre-recorded on a placed interactive disk from a remote content-providing server connected through a network before reproduction of the placed interactive disk, and makes presentation of video or audio reproduced from the interactive disk along with contents already-received from the server while synchronizing presentation time of the A/V data and the contents with reference to the downloaded content-related information.



EP 1 309 205 A1

## Description

### BACKGROUND OF THE INVENTION

#### Field of the Invention

[0001] The present invention relates to a method of reproducing an interactive disk, more particularly, to a method of reproducing an A/V data written on an interactive disk such as an I-DVD (Interactive Digital Versatile Disk) while making synchronous presentation of the A/V data of an interactive disk along with additional contents provided through a network from a server located on the network.

#### Description of the Related Art

[0002] In these days, a high-density optical disk, e.g., a DVD is being widely used because it has very large storage capacity for digital data. The storage capacity of a DVD is large enough to record high-quality motion picture data of relatively long time as well as high-quality audio data.

[0003] A DVD has two recording areas, one for actual data, namely, digital data stream of motion picture data and the other for navigation data used for reproduction control of the recorded actual data.

[0004] When a DVD is placed into a DVD player, its navigation data is read into a memory first, and then motion picture data is reproduced with reference to the read navigation data. As a result, a user can view a long-time cinema recorded in high quality on a DVD with a DVD player.

[0005] Lately, an interactive DVD (called "I-DVD") has been proposed. An I-DVD includes additional reproduction control information of recorded A/V data in form of, e.g., "html" (Hyper-Text Markup Language) file. The reproduction control information enables an interactive reproduction of A/V data. More concrete standard for an I-DVD is being under discussion among related companies. If an I-DVD is commercialized in the near future, a supply of multi-media contents through a digital recording medium will be popularized much more.

[0006] However, according to the provisional standard of an I-DVD under discussion, because information related with reproduction of A/V data recorded on an I-DVD is provided as written thereon, newer various additional contents or newer presentation form that is related with the recorded A/V data can not be viewed or used. In order to popularize an I-DVD, it is necessary to prepare a method being able to provide newer contents or information associated with recorded A/V data than those pre-written on an I-DVD along with A/V contents.

#### SUMMARY OF THE INVENTION

[0007] It is an object of the present invention to provide a method that receives various content-related in-

formation associated with A/V data pre-written on a disk recording medium such as an I-DVD from a remote server through a network, and presents the A/V data written on the medium synchronously along with additional contents using the received content-related information.

[0008] A method of reproducing an interactive disk using a network in accordance with the present invention checks whether a disk placed in a disk device is an interactive disk, receives, from a server through a network, a file with contents of the latest version and at least one file related with the contents that are compatible with a version of the placed interactive disk, if the inserted disk is interactive, and makes presentation of video or audio read from the interactive disk along with data of the received contents while synchronizing presentation time with each other with reference to information of the received content-related file.

#### BRIEF DESCRIPTION OF THE DRAWINGS

[0009] The accompanying drawings, which are included to provide a further understanding of the invention, illustrate the preferred embodiments of the invention, and together with the description, serve to explain the principles of the present invention.

[0010] In the drawings:

Fig. 1 is a block diagram of a disk device in which a method of reproducing an interactive disk through a network is embedded;

Fig. 2 shows an illustrative directory scheme of an interactive DVD structured in accordance with the present invention;

Fig. 3 is a flow diagram of an embodiment of an interactive disk reproducing method using a network of the present invention; and

Fig. 4 shows a view mode setting scheme and respective view mode examples.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0011] In order that the invention may be fully understood, a preferred embodiment thereof will now be described with reference to the accompanying drawings.

[0012] Fig. 1 is a block diagram of a disk device in which a method of reproducing an interactive disk through a network is embedded. The disk device of Fig. 1 comprises a decoder 16 decoding digital data read from a disk 10, e.g., an I-DVD to A/V data; a presentation engine 17 processing the decoded A/V data to output a video and/or an audio signal; a file system 11 conducting file management including searching and reading recorded files, e.g., a disk information file, a setup file, and a sync data file, etc. on the I-DVD 10; a web browser

12, with a web surfing function, being able to set up presentation environment for reproduction of an I-DVD; an interface 13 for connection to Internet; a navigator 14, a controller in a broad sense, to conduct an overall and appropriate control for all elements in response to a user's request; and a storage unit 15, e.g., a flash memory for storing a variety of files and all or a part of contents downloaded through Internet or read from the I-DVD 10.

[0013] The navigator 14, the file system 11, and the web browser 12 are all logical units, namely programs to conduct individual corresponding function and operation, and they can be all implemented in a single integrated chip.

[0014] Fig. 2 shows an illustrative directory scheme of the I-DVD 10 structured in accordance with the present invention. As illustrated in Fig. 2, three files are under a root directory, the first file "EnDVD.Inf" having requisite information for reproduction of A/V data written on an I-DVD, the second "Index.html" for an initial setup for reproduction, and the third "Index.syn" having time information for synchronizing between different-attribute data. Under the root directory, three subdirectories exist too, the first directory "VIDEO\_TS" including files of video data, the second "AUDIO\_TS" including files of audio data, and the third "ENV\_TS" including additional content files e.g., "html" files, image files, and sound files to enable additional video/audio functions.

[0015] The file "EnDVD.Inf" under the root directory has information about a disk version, a content version, a content manufacturer, and an address, e.g., URL (Universal Resource Locator) of a content providing server (abbreviated "CP server" hereinafter) that provides a variety of contents and content-related information associated with A/V data on an I-DVD.

[0016] The setup file "Index.html" under the root directory has environment setup information for the web browser 12 and reproduction of the I-DVD 10, and the file "Index.syn" includes time stamp data to synchronize video/audio data, which are read from the I-DVD 10, and contents, e.g., html pages with each other.

[0017] The directory "ENV\_TS" includes the contents to be presented or outputted in synchronization with A/V data written on the I-DVD. The contents are composed of html-formatted files, image files, sound files, and so on as aforementioned.

[0018] When the I-DVD 10 is placed into the disk device of Fig. 1, the file "EnDVD.Inf" under the root directory is read first and the type of an inserted disk is determined to "interactive" based on presence of the file "EnDVD.Inf". Next, a disk version is checked and the file "Index.html" is loaded to setup environment of system and the browser for reproduction of the I-DVD. If necessary, the URL information is read from the file "EnDVD.Inf".

[0019] Afterwards, a connection is made through Internet to a CP server addressed by the read URL information, and the disk device receives a setup file and a sync file of the latest version compatible with the I-DVD

of the checked present version through negotiation with the CP server and it does system settings again according to information included in the received files. The disk device also receives a content file of the latest version associated with version of the I-DVD, and stores it in the storage unit 15.

[0020] After settings are done, the disk device reproduces A/V data written on the I-DVD and presents A/V data and corresponding part of contents of the latest version having been provided from the CP server while synchronizing the contents with the A/V data with reference to time information contained in the received sync file. These operations are explained below in more detail.

[0021] Fig. 3 is a flow diagram of an embodiment of an interactive disk reproducing method using a network of the present invention. The procedure depicted in Fig. 3 is conducted by the disk device of Fig. 1 as follows.

[0022] If a placed disk is a conventional DVD, the navigator 14 conducts an ordinary DVD reproducing operation in response to a users request (S12). If a placed disk is an I-DVD, the navigator 14 controls the file system 11 to load the files "Index.html" and "Index.syn" under the root directory into the storage unit 15 (S13).

[0023] The navigator 14 interprets the file "Index.html" in the storage unit 15 with assistance of the web browser 12, and sets up, as interpreted, a system environment and parameters of the web browser 12 (S14) that has an Internet surfing function and specifies a presentation form of A/V data. At this time, user's inputs are received if needed.

[0024] After completion of setting, the navigator 14 checks whether there is an Internet-connection request from a user (S15). If there is no request, a ROM-based reproduction is conducted under condition of the present settings (S16). In the ROM-based reproduction, the contents included under the directory "ENV\_TS" of the I-DVD 10 are synchronously presented with the A/V data of the I-DVD 10 with reference to time information written in the sync file "Index.syn".

[0025] If a connection to Internet is requested from a user (S15), which means that download of contents of newer version than those on the I-DVD 10 is asked, the navigator 14 reads an URL written in the file "EnDVD.Inf" under the root directory, and controls the web browser 12 and the interface 13 to make a connection to the CP server addressed by the read URL.

[0026] If a connection is made, a disk version written in the file "EnDVD.Inf" is transmitted to the CP server along with a download request for a setup and a sync file related with the latest contents compatible with the disk version (S17). The CP server searches its db (database) for the files "Index.html" and "Index.syn" of the latest contents that are linked altogether with the received disk version. If found, the CP server transmits the files to the disk device through Internet (S18).

[0027] The navigator 14 of the disk device receiving the files interprets the "Index.html" of the latest version with help of the web browser 12 and resets the system

environment for A/V data reproduction as interpreted (S18). The received sync file "Index.syn" is stored in the storage unit 16 for later use.

[0028] If necessary, the navigator 14 checks whether versions of the received files from the CP server are later than those of the files pre-recorded under the root directory, and only if later, it conducts the aforementioned operations, namely, resetting and storing.

[0029] As another way, the navigator 14 sends a content version written in the file "EnDVD.Inf" along with the disk version to the CP server, then the CP server downloads the concerned files only if there are a setup and a sync file related with contents of later version than the received content version.

[0030] Afterwards, the navigator 14 checks whether the present mode is "cookie" (S18-1), and if cookie mode, it requests download of a file having contents of the latest version compatible with the disk version to the CP server and stores the entire of the requested file in the storage unit 15 if downloaded from the CP server (S21). The cookie mode may be set, as a reproduction option, by user's selection or from a parameter written a specific file of the I-DVD, e.g., the file "EnDVD.Inf".

[0031] Because the contents are composed of a html-formatted file, an image file, and/or a sound file as aforementioned, most of them are large size so that their transfer through Internet take relatively long time. Thus, if download of necessary part of the contents is requested a little before it is presented along with A/V data, it may not be presented synchronously with A/V data at a proper time due to unexpected transfer delay on Internet.

[0032] The cookie mode is for preventing such cases beforehand. Therefore, in cookie mode, entire of the latest contents or most of requisite contents to be presented synchronously with A/V data are received and stored prior to start of reproduction. In the latter case, remaining contents not stored prior to disk reproduction are received before their synchronous presentation with associated A/V data during I-DVD reproduction by requesting them enough before their individual presentation time.

[0033] The navigator 14, in response to a user's input, starts an I-DVD reproduction to read the A/V data written on the I-DVD 10 and to decode out the A/V data to corresponding video/audio signal (S19). During this reproduction, the navigator 14, with reference to time information contained in the received file "Index.syn" from the CP server, controls synchronous presentation of current video, audio data, and associated part of the contents that have been already downloaded due to the cookie mode (S20).

[0034] In the above embodiment, the content-related files are received when an Internet connection is requested from a user. However, the content-related file receiving operation can be conducted automatically without a user's request. In other words, a connection to the CP server is requested referring to URL in the file

"EnDVD.Inf" after completion of the setting step S14, and the download of the content file of the latest version and the content-related files and A/V data reproduction based on them (S17~S21) is conducted if a connection is made within a given interval and the step S16 is conducted if not.

[0035] A form of a display window the A/V data is presented in may be specified by the file "Index.html". However, it can be set or modified variously according to user's optional selection.

[0036] Fig. 4 shows a view mode setting scheme and respective view mode examples. If a user sets a view mode to "player view mode" the display window is adjusted to an ordinary screen 401 of a general DVD player, and if a user sets a view mode to "content view mode" the display window is changed to a menu screen 402 which a user can request an Internet connection through.

[0037] If a user sets to "full screen mode" through configuration of the "content view mode", the display window is expanded to the full size of a screen 403 to display motion picture reproduced from the I-DVD, and if a user sets a view mode to "enhanced mode", the display window is partitioned into two zones (404), one zone for displaying motion picture and the other for displaying content information.

[0038] The above-explained interactive disk reproducing method using a network enables a user to view the latest contents associated with A/V ROM data recorded on an interactive disk all the times, whereby a user can enjoy the motion picture recorded on the interactive disk much more.

[0039] The present invention relates to an interactive disk reproducing method using a network. The present method downloads various content-related information and the latest contents associated with A/V data pre-recorded on a placed interactive disk from a remote content-providing server connected through a network before reproduction of the placed interactive disk, and makes presentation of video or audio reproduced from the interactive disk along with contents already-received from the server while synchronizing presentation time of the A/V data and the contents with reference to the downloaded content-related information.

[0040] In summary, the present invention relates to a method of reproducing an interactive disk using a network, comprising the steps of: (a) checking whether a disk placed in a disk device is an interactive disk; (b) receiving, from a server through a network, a file with contents of a previous version, in particular a latest version and at least one file related with the contents that are compatible with a version of the inserted interactive disk; and (c) making a presentation of video or audio data read from the interactive disk along with data of the received contents while synchronizing presentation time with each other with reference to information of the received file.

[0041] The detailed description of the invention has

been directed to certain exemplary embodiments, various modifications of these embodiments, as well as alternative embodiments, and will be suggested to those skilled in the art. The invention encompasses any modifications or alternative embodiments that fall within the scope of the claims.

## Claims

1. A method of reproducing an interactive disk using a network, comprising the steps of:

(a) checking (S11) whether a disk placed in a disk device is an interactive disk (10);

(b) receiving (S18), from a server through a network, a file with contents of the latest version and at least one file related with the contents that are compatible with a version of the inserted interactive disk (10); and

(c) making (S20) a presentation of video or audio data read from the interactive disk (10) along with data of the received contents while synchronizing presentation time with each other with reference to information of the received file.

2. The method according to claim 1, wherein said step (a) further conducts a setting operation (S14) of a system to be suitable to an interactive disk (10) reproduction with reference to information of a file written on the disk.

3. The method according to claim 1 or 2, wherein the content-related files received in said step (b) includes a first file having system setting information for an interactive disk reproduction and a second file having time information for synchronizing video, audio, and the contents that are pre-recorded on the interactive disk (10).

4. The method according to one of claims 1 to 3, wherein said step (c) further conducts a setting operation of a system to be suitable for data reproduction with reference to information included in the first file, the setting operation including setting of a display form for presentation of video/audio/contents.

5. The method according to one of claims 1 to 4, wherein the content file is received from the server before it is presented in synchronization with video/audio data.

6. The method according to one of claims 1 to 5, wherein said step (a) determines the placed disk to be an interactive type (S11) if the disk (10) includes

a file having information about a disk version, a content version, and an address pointing to a content-providing server.

7. The method according to one of claims 1 to 6, wherein said step (b) makes a connection to the server with reference to the address, sends the disk version to the server (S17), and receives (S18) the file with contents and said at least one content-related file of the latest version from the server if the server transmits in response to the transmission of disk version.

8. The method according to one of claims 1 to 7, wherein said step (c) uses the received file if a version of the file received from the server is later than that of a corresponding file recorded on the interactive disk (10).

9. The method according to one of claims 1 to 8, wherein said step (c) presents both or either of the video/audio and the contents in response to a user's selection.

10. The method according to one of claims 1 to 9, wherein the contents are composed of an html-formatted file, a sound file, or an image file.

11. The method according to one of claims 1 to 10, wherein said step (c), if the received contents do not have a part of contents to be presented synchronously with the read video or audio data, requests the part to be downloaded from the server before the part is presented in synchronization with associated video/audio data.

FIG. 1




FIG. 2






FIG. 3



**FIG. 4**







European Patent  
Office

## EUROPEAN SEARCH REPORT

Application Number  
EP 02 02 4513

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A	EP 0 886 276 A (PIONEER ELECTRONIC CORPORATION) 23 December 1998 (1998-12-23) * the whole document *	1,6,7,9	H04N9/87
P,A	US 2002/049981 A1 (TZOU) 25 April 2002 (2002-04-25) * the whole document *	1	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			H04N
The present search report has been drawn up for all claims			
Place of search <b>THE HAGUE</b>		Date of completion of the search <b>13 March 2003</b>	Examiner <b>Verleye, J</b>
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03.92 (P4/C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 02 4513

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

13-03-2003

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 886276 A	23-12-1998	JP 11018048 A	22-01-1999
		CA 2241346 A1	20-12-1998
		EP 0886276 A2	23-12-1998
		US 6434326 B1	13-08-2002
US 2002049981 A1	25-04-2002	TW 475122 B	01-02-2002

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82